

Hudson River National Estuarine Research  
Reserve

List of Publications

October 2005

- [Albertson JD, and P.K. Barten \(1993\) A GIS-based approach for calculating groundwater flow into the Tivoli Bays. In: Blair EA, and J.R. Waldman \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 1992. Hudson River Foundation, New York, pp Section I: 27 pp.](#)
- [Anderson AB, and R.E. Schmidt \(1989\) Survey of larval and juvenile fish populations in water chestnut \(\*Trapa natans\*\) beds in Tivoli South Bay, a Hudson River tidal marsh. In: Blair EA, and J.R. Waldman \(ed\) Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1988. Hudson River Foundation, New York, pp Section VI: 34 pp.](#)
- [Anderson JR, and W. R. Gilchrest \(2004a\) Evaluation of fish community structure in \*Trapa natans\* beds in the middle Hudson River estuary. In: Nieder WC, and J. R. Waldmann \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 2003. Hudson River Foundation, New York, pp Section IV: 25 pp.](#)
- [Anderson KA, R. Rountree, and F. Juanes \(2004b\) The distribution and behavior of soniferous fishes in the Hudson River focusing on striped cusk-eel, \*Ophidion marginatum\*. In: Nieder WC, and J. R. Waldmann \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 2003. Hudson River Foundation, New York, pp Section VI: 31 pp.](#)
- [Arend K, K. Limburg and M. Pace \(1996\) Recruitment of juvenile \*Morone saxatilis\* reflected in otolith microstructure. In: Waldman JR, W.C. Nieder, and E.A. Blair \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 1995. Hudson River Foundation, New York, pp Section V: 25 pp.](#)
- Ashizawa D, and J.J. Cole (1994) Long-term temperature trends of the Hudson River: a study of the historical data. *Estuaries* 17: 166-171
- Austin HK, and S.E.G. Findlay (1989) Benthic bacterial biomass and production in the Hudson River estuary. *Microbial Ecology* 18: 105-116
- Austin HKA, and S.G. Findlay (1987) The contribution of bacteria to benthic processes in the Hudson River Estuary. In: Blair EA, and J.C. Cooper (ed) Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1986. Hudson River Foundation, New York, pp Section V: 48 pp.
- Baker III PJ (1994) A dietary analysis of the common snapping turtle (*Chelydra serpentina*) in the tidal marshes of the Hudson River. Senior thesis. Division of Natural Sciences and Mathematics, Annandale, NY
- Barbour JG, and E. Kiviat (1997) Introduced purple loosestrife as host of native Saturniidae (Lepidoptera). *The Great Lakes Entomologist* 30: 115-122

- [Barbour S, and E. Kiviat \(1986\) A survey of Lepidoptera in Tivoli North Bay \(Hudson River Estuary\). In: Cooper JC \(ed\) Polgar Fellowship Reports of the Hudson River National Estuarine Sanctuary Program, 1985. Hudson River Foundation, New York, pp Section IV: 20 pp.](#)
- [Barrett JE, and S. E. G. Findlay \(1994\) Ecosystem effects of submersed aquatic vegetation in the tidal freshwater Hudson River. In: Waldman JR, and E.A. Blair \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 1993. Hudson River Foundation, New York, pp Section VIII: 48 pp.](#)
- Benoit G, E.X. Wang, W.C. Nieder, M. Levandowsky and V. Breslin (1999a) Sources and history of heavy metal contamination and sediment deposition in Tivoli South Bay, Hudson River, New York. *Estuaries* 22: 167-178
- Benoit LK, and R. A. Askins (1999b) Impact of the spread of *Phragmites* on the distribution of birds in Connecticut tidal marshes. *Wetlands* 19: 194-208
- [Benotti MJ, and B. Brownawell \(2002\) Measurements of pharmaceuticals in a sewage-impacted urban estuary. In: Nieder WC, and J. R. Waldmann \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 2001. Hudson River Foundation, New York, pp Section III: 29 pp.](#)
- [Bergoine J, and I.I. Wirgin \(1991\) The inducibility of P-450IA mRNA expression by PCB mixtures, PCB congeners and PAH in Hudson River tomcod and hogchoker. In: Blair EA, and J.R. Waldman \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 1990. Hudson River Foundation, New York, pp Section III: 28 pp.](#)
- Bianchi TS, and S. Findlay (1991) Decomposition of Hudson River estuary macrophytes: photosynthetic pigment transformations and decay constants. *Estuaries* 14: 65-73
- Blair EA, and W.C. Nieder (1993) Mapping the Hudson River National Estuarine Research Reserve: Creating tools for tidal wetland research, management and education. Hudson River Foundation, New York
- [Bloomquist DB, and R. A. Daniels \(1995\) Microhabitat use by fish of the riffle zone of Catskill Creek. In: Blair EA, and J.R. Waldman \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 1994. Hudson River Foundation, New York, pp Section VIII: 22 pp.](#)
- [Bohne C, and R.E. Schmidt \(1989\) Larval fish flux between a freshwater tidal marsh and the Hudson River estuary. In: Blair EA, and J.R. Waldman \(ed\) Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1988. Hudson River Foundation, New York, pp Section VII: 22 pp.](#)
- Bokuniewicz HJ, and J.M. Ellsworth (1986a) Sediment budget for the Hudson system. *Northeastern Geology* 8: 156-164

Bokuniewicz HJ, and N.K. Coch (1986b) Some management implications of the sedimentation in the Hudson-Raritan Estuarine System. *Northeastern Geology* 8: 165-170

[Boles L, and R. Lipcius \(1994\) Predator-mediated biological control of the zebra mussel in the Hudson River estuary. In: Waldman JR, and E.A. Blair \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 1993. Hudson River Foundation, New York](#)

Boles LC, and R.N. Lipcius (1997) Potential for population regulation of the zebra mussel by finfish and the blue crab in North American estuaries. *Journal of Shellfish Research* 16: 179-186

Bonvegna AF, D.A. Witting, and C. Chambers (2001) Effects of summer temperatures on the growth and condition of juvenile atlantic tomcod, *Microgadus tomcod*. In: Waldman JR, and W.C. Nieder (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 2000. Hudson River Foundation, New York, pp Section VII: 15pp.

Boyce TI (1973) An atlas of the biologic resources of the Hudson estuary. Westmail Press, Inc., Yonkers, New York

Bridgewater R, and R. E. Schmidt (1994) Diets of larval white perch and striped bass in the Kingston Region of the Hudson River estuary with comments on significance of the *Bosmina* bloom. In: Waldman JR, and E.A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1993. Hudson River Foundation, New York, pp Section VI: 32 pp.

Brown N, and R.W. Knecht (1998) The New York/New Jersey Harbor dredging conflict. In: Waldman JR, and W.C. Nieder (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1997. Hudson River Foundation, New York, pp Section VII: 30 pp.

[Brzorad J, and J. Burger \(1990\) Egret feeding behavior and prey ecology in the lower Hudson River estuary. In: Waldman JR, and E.A. Blair \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 1989. Hudson River Foundation, New York, pp Section VIII: 33pp.](#)

Buckley EH, and S.S. Ristich (1976) Distribution of rooted vegetation in the estuarine marshes of the Hudson River estuary *Hudson River Ecology*, 4th Symposium of the Hudson River Environmental Society. Hudson River Environmental Society, Bronx, NY, pp 30 pp.

Budd MP, and D. L. Strayer (1998) Assessing the effects of land use on water quality and biotic integrity in the Saw Kill (Red Hook , NY) using two macroinvertebrate indices and chemical data. In: Waldman JR, and W.C. Nieder (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1997. Hudson River Foundation, New York, pp Section VIII: 41 pp.

- [Burke D, and D. Hahn \(2000\) The effect of Mycorrhizae on nitrogen-fixing bacteria associated with the salt marsh grass \*Spartina patens\*. In: Waldman JR, and W.C. Nieder \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program. Hudson River Foundation, New York, pp Section II: 28pp.](#)
- Burns MG (1997) The Goat Island campsite, Tivoli Bays, Hudson River: potential for environmental information from a heavily looted archaeological site. Masters of Science. Graduate School for Environmental Studies, Annandale-on-Hudson
- Busby MW (1966) Flow, quality and salinity in the Hudson River estuary Hudson River Ecology, 1st Symposium Hudson River Valley Community, Tuxedo, NY, pp pp. 135-146
- Caffrey JM (2003) Production, respiration and net ecosystem metabolism in U. S. estuaries. Environmental Monitoring and Assessment 81: 207-219
- [Campbell M, and B.L. Dexter \(1987\) Identification, distribution and abundance patterns of aquatic algae and herbivores in marshlands of the Hudson River National Estuarine Research Reserve \(Stockport Flats component\). In: Blair EA, and J.C. Cooper \(ed\) Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1986. Hudson River Foundation, New York, pp Section VI: 35 pp.](#)
- Caraco NF, J.J. Cole, P.A. Raymond, D.L. Strayer, M.L. Pace, S.E.G. Findlay, and D.T. Fischer (1997) Zebra mussel invasion in a large, turbid river: phytoplankton response to increased grazing. Ecology 78: 588-602
- Caraco NFaJJC (2002) Contrasting impacts of a native and alien macrophyte on dissolved oxygen in a large river. Ecological Applications 12: 1496-1509
- [Carey KMaRHW \(1987\) Preliminary report on the geology, hydrology and related historical aspects of the Tivoli Bays, Cruger Island and Magdalen Island, Town of Red Hook, Dutchess County, New York and of Stockport Flats, Town of Stockport, Columbia County, New York including a study of the relationship of a proposed landfill and Stockport Flats. In: Blair EA, and J.C. Cooper \(ed\) Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1986. Hudson River Foundation, New York, pp Section VIII: 91 pp.](#)
- Carlson DM (1986) Fish and their habitats in the Upper Hudson estuary. New York State Department of Environmental Conservation
- [Chandler WE, R. Schmidt and D. Strayer \(1995\) Fishes consuming zebra mussels in the tidal Hudson River. In: Blair EA, and J.R. Waldman \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 1994. Hudson River Foundation, New York, pp Section IV: 20 pp.](#)
- Chilton ES (1991) The Goat Island Rockshelter: New Light from Old Legacies. Master of Arts. Anthropology

- Coch NK (1986a) Sediment characteristics and facies distributions. *Northeastern Geology* 8: 109-129
- Coch NK, and H.J. Bokuniewicz (1986b) Oceanographic and geologic framework of the Hudson system. *Northeastern Geology* 8: 96-108
- [Coffey JM, N. Jackson, and M. Collins \(2002\) Public participation, risk perception, and the EPA's PCB remediation plan for the upper Hudson River. In: Nieder WC, and J. R. Waldmann \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 2001. Hudson River Foundation, New York, pp Section II, 43 pp.](#)
- Cohen JB, B. A. Rattner, and N. H. Golden (2003) Use of retrospective data to assess ecotoxicological monitoring needs for terrestrial vertebrates residing in Atlantic Coast estuaries. *Ecotoxicology* 12: 365-275
- Cole JJ (1999) Aquatic microbiology for ecosystem scientists: new and recycled paradigms in ecological microbiology. *Ecosystems* 2: 215-225
- Cole JJ, N.M. Caraco and B.L. Peierls (1991) Phytoplankton primary production in the mid-Hudson. Hudson River Foundation, New York
- Cole JJ, S. Findlay and M.L. Pace (1988a) Bacterial production in fresh and saltwater ecosystems: a cross-system overview. *Mar. Ecol. Prog. Ser.* 43: 1-10 pp.
- Cole JJ, S.E.G. Findlay and M.L. Pace (1988) Basic ecosystem processes in the Hudson River, Institute of Ecosystem Studies
- Cole JJ (1999) Aquatic microbiology for ecosystem scientists: new and recycled paradigms in ecological microbiology. *Ecosystems* 2: 215-225
- Cole JJ, S. Findlay and M.L. Pace (1988a) Bacterial production in fresh and saltwater ecosystems: a cross-system overview. *Mar. Ecol. Prog. Ser.* 43: 1-10 pp.
- Connor LM, E. Kiviat, P. M. Groffman, and R. S. Ostfeld (2000) Muskrat (*Ondatra zibethicus*) Disturbance to Vegetation and Potential Net Nitrogen Mineralization and Nitrification Rates in a Freshwater Tidal Marsh. *American Midland Naturalist* 143: 53-63
- Coote TW (2002) Comparative Analysis of Fish Assemblages in Select Hudson River Tributaries. Antioch New England Graduate School and Simon's Rock College, Keene, NH and Great Barrington, MA
- [Coote TW, R.E. Schmidt, and N. Caraco \(2001\) Use of a periodically anoxic \*Trapa natans\* bed by fishes in the Hudson River. In: Waldman JR, and W.C. Nieder \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 2000. Hudson River Foundation, New York, pp Section IV: 20pp.](#)

- Curran CA, S. C. Wainwright, K. W. Able, M. P. Weinstein and C. M. Fuller (2003) Determination of food web support and trophic position of the mummichog, *Fundulus heteroclitus*, in New Jersey smooth cordgrass (*Spartina alterniflora*), common reed (*Phragmites australis*), and restored salt marshes. *Estuaries* 26: 495-510
- Cusick LC, and Dr. Yuri Gorokhovich (2002) Reconstruction of paleogeographic history of the Hudson River at newly exposed Pleistocene strata at Bear Mountain. In: Waldman JR, and W. C. Nieder (ed) Final Reports of the Tibor T. Polgar Fellowship Program 2002. Hudson River Foundation, pp Section I: 1-32
- D'Amore M, and I.I. Wirgin (1990) The extraction of DNA from formaldehyde-preserved samples of Hudson River tomcod (*Microgadus tomcod*). In: Waldman JR, and E.A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1989. Hudson River Foundation, New York, pp Section VII: 36 pp
- [Darmer K \(1987\) Overview of Hudson River hydrology. Hudson River Foundation, New York](#)
- Darmer KI (1969) Hydrologic characteristics of the Hudson River estuary Hudson River Ecology, 2nd Symposium. NYS DEC, Albany, NY, pp pp.40-55
- Davies S (1966) Radioactivity in the Hudson River Hudson River Ecology, 1st Symposium Hudson River Valley Community, Tuxedo, NY, pp pp. 289-311
- DeVries C, and C.B. Dewitt (1987) Freshwater tidal wetlands community description and relation of plant distribution to elevation and substrate. In: Blair EA, and J.C. Cooper (ed) Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1986. Hudson River Foundation, New York, pp Section IX: 43 pp.
- [Docherty KM, and R.L. Kepner Jr. \(2001\) Coliphage in the Hudson River as agents of coliform mortality and indicators of water quality. In: Waldman JR, and W.C. Nieder \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 2000. Hudson River Foundation, New York, pp Section II: 25pp.](#)
- [Drill S, and R.E. Schmidt \(1988\) The composition of the summer zooplankton community in Tivoli Bays, Hudson River, New York. In: Waldman JR, and E.A. Blair \(ed\) Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1987. Hudson River Foundation, New York, pp Section II: 24 pp.](#)
- [Duryea M, and R.E. Schmidt \(1987\) Feeding biology of the tessellated darter \(\*Etheostoma olmstedii atromaculatum\*\) at Tivoli North Bay, Hudson River, NY. In: Blair EA, and J.C. Cooper \(ed\) Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1986. Hudson River Foundation, New York, pp Section III: 19 pp.](#)

- Ellsworth JM (1986) Sources and sinks for fine-grained sediment in the lower Hudson River. *Northeastern Geology* 8: 141-155
- Elzinga CL (1989) Freshwater tidal wetlands, Hudson River: vegetation, description, investigation and preservation. Master of Science. Land Resources, Institute of Environmental Studies, Madison, WI
- Fernberg LS (1997) Causes and consequences of purple loosestrife (*Lythrum salicaria* L.) invasions on native wetlands. doctoral. Biological Sciences, Bronx
- Findlay S, and P. Groffman (1997a) Effects of marsh vegetation on sediment biogeochemistry: A baseline for restoration. NOAA
- Findlay S, E.A. Blair, W.C. Nieder, E. Barnaba and S. Hoskins (1997b) Distribution of submerged rooted vegetation beds of the tidal Hudson River. New York Sea Grant
- Findlay S, K. Limburg and D. Strayer (1988a) Modeling carbon flow in Tivoli South Bay, Hudson River, NY. In: Waldman JR, and E.A. Blair (ed) Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1987. Hudson River Foundation, New York, pp Section IX: 23 pp.
- Findlay S, K. Schoeberl and B. Wagner (1989) Abundance, composition and dynamics of the invertebrate fauna of a tidal freshwater wetland. *Journal of North American Benthological Society* 8: 140-148
- Findlay S, K. Howe and H. Kay Austin (1990) Comparison of detritus dynamics in two tidal freshwater wetlands. *Ecology* 71: 288-295
- Findlay SEG, E. Kiviat, W.C. Nieder, and E.A. Blair (2002a) Functional assessment of a reference wetland set as a tool for science, management and restoration. *Aquatic Sciences* 64: 107-117
- Findlay SEG, S. Dye, and K. A. Kuehn (2002b) Microbial growth and nitrogen retention in litter of *Phragmites australis* compared to *Typha angustifolia*. *Wetlands* 22: 616-625
- Findlay SF (1988b) Significance of the detritus food web in the Tivoli Bays. NOAA: Marine and Estuarine Management Division, HRNERR
- Flood RD, and H.J. Bokuniewicz (1986) Bottom morphology in the Hudson River Estuary and New York Harbor. *Northeastern Geology* 8: pp. 130-140
- Foley DD, and W.R. Taber (1951) Lower Hudson waterfowl investigation, final report. New York State Department of Environmental Conservation, Albany, NY
- Fraser RH, and P.K. Barten (1995) Tivoli Bays GIS database user's guide. Yale University, School of the Forestry and Environmental Studies, New Haven, CT

- Fredrick SW, R.L. Heffner, A.T. Packard, P.M. Eldridge, J.C. Eldridge, G.J. Schumacher, K.L. Eichorn, J.H. Currie, J.N. Richards and O.C. Boody (1976) Notes on phytoplankton distribution in the Hudson River Estuary Hudson River Ecology, 4th Symposium. Hudson River Environmental Society, Bronx, NY, pp 19 pp.
- [Frenzel J, and K. Limburg \(2004\) Waterscaping water chestnuts: a test of improving habitats for fish. In: Nieder WC, and J. R. Waldmann \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 2003. Hudson River Foundation, New York, pp Section IV: 31 pp.](#)
- Garritt RH (1990) The metabolism of a submersed macrophyte community in the tidal freshwater Hudson River Estuary. Master of Science, Ithaca, NY
- [Garritt RH, and R. W. Howarth \(1989\) Metabolism of submersed aquatic macrophyte beds in a freshwater portion of the Hudson River Estuary. In: Blair EA, and J.R. Waldman \(ed\) Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1988. Hudson River Foundation, New York, pp Section III: 47 pp.](#)
- [George JR, and K.T. Alben \(2000\) Characteristics of dissolved organic carbon from \*Trapa natans\* wetlands and the Hudson River. In: Waldman JR, and W.C. Nieder \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 1999. Hudson River Foundation, New York, pp Section III: 50pp.](#)
- [Gilchrest WR, and R.E. Schmidt \(1998\) Comparison of fish communities in open and occluded freshwater tidal wetlands in the Hudson River estuary. In: Waldman JR, and W.C. Nieder \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 1997. Hudson River Foundation, New York, pp Section IX: 32 pp.](#)
- Golden NH, and B. A. Rattner (2003) Ranking terrestrial vertebrate species for utility in biomonitoring and vulnerability to environmental contaminants. Rev Environ Contam Toxicol 176: 67-136
- [Goldhammer A, and S.E.G. Findlay \(1988\) Estimation of suspended material flux between a \*Trapa natans\* stand and the Hudson River Estuary. In: Waldman JR, and E.A. Blair \(ed\) Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1987. Hudson River Foundation, New York, pp Section VIII: 46 pp.](#)
- [Goldman M, and P. Groffman \(1994\) The effects of ammonium and sulfate additions on methane fluxes in two tidal freshwater wetlands of the Hudson River Estuary. In: Waldman JR, and E.A. Blair \(ed\) Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1993. Hudson River Foundation, New York, pp Section III: 34 pp.](#)

- Gospodarek AM (1998) Temporal and spatial effects on the growth rate and distribution of larval bay anchovy (*Anchoa mitchilli*) in the Hudson River estuary. Master of Science. Department of Ecology and Evolutionary Biology, Storrs, CT
- [Gould KI, and S.E.G. Findlay \(1991\) Changes in interstitial water chemistry along a salinity gradient in the Hudson River. In: Blair EA, and J.R. Waldman \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 1990. Hudson River Foundation, New York, pp Section II: 33 pp.](#)
- [Green DM, and J. Jackson \(1991\) Characterizations of angler activity on the Hudson River Estuary. In: Blair EA, and J.R. Waldman \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 1990. Hudson River Foundation, New York, pp Section VII: 52 pp.](#)
- [Green DM, S.B. Nack and J.L. Forney \(1988\) Identification of black bass spawning and nursery habitats in the Hudson River estuary. Hudson River Foundation, New York](#)
- Groffman PM, G.C. Hanson, E. Kiviat and G. Stevens (1996) Variation in microbial biomass and activity in four different wetland types. Soil Sci. Soc. Am.J. 60: 622-629
- [Gurwick NP, and B. L. Bedford \(1996\) Patterns of wetlands ownership and permit applications in the Hudson Basin: Implications for policy. In: J.R. Waldman WCNaEAB \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 1995. Hudson River Foundation, New York, pp Section VI: 39 pp.](#)
- [Haley N, J. Boreman and M.Bain \(1996\) Juvenile sturgeon habitat use in the Hudson River. In: Waldman JR, W.C. Nieder and E.A. Blair \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 1995. Hudson River Foundation, New York, pp Section VIII: 36 pp.](#)
- [Hankin N, and R.E. Schmidt \(1992\) Standing crop of fishes in water celery beds in the tidal Hudson River. In: Waldman JR, and E.A. Blair \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 1991. Hudson River Foundation, New York, pp Section VIII: 23 pp.](#)
- Harley MT, and S.E. G. Findlay (1992) Photosynthetic response of several submersed macrophyte species to light conditions in the tidal freshwater Hudson River. In: Waldman JR, and E.A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program. 1991. Hudson River Foundation, New York, pp Section V: 52 pp.
- [Harms L, E. Salak and D. Osgood \(2002\) Effects of \*Phragmites australis\* on the early life history stages of \*Fundulus heteroclitus\* at Iona Island Marsh, Hudson River, New York. In: Waldman JR, and W. C. Nieder \(ed\) Final Report of the Tibor T. Polgar Fellowship Program. Hudson River Foundation, pp IV1-34](#)

Hart CA, and P.K. Barten (1998) Land use, soil erosion and sediment delivery in two Hudson River Valley watersheds. In: Waldman JR, and W.C. Nieder (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1997. Hudson River Foundation, New York, pp Section V: 34 pp.

[Hart JT, and I.I. Wirgin \(1994\) Characterization of mitochondrial DNA genotypes in Atlantic sturgeon \(\*Acipenser oxyrinchus\*\) from the Hudson River: the extent of spatial and temporal heterogeneity. In: Waldman JR, and E.A. Blair \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 1993. Hudson River Foundation, New York, pp Section V: 25 pp.](#)

Hazen RE, and T. J. Kneip (1976) The distribution of cadmium in the sediments of Foundry Cove Hudson River Ecology, 4th Symposium Hudson River Environmental Society, Bronx, NY, pp 13 pp.

Heath RC (1966) Work of the U.S. Geological Survey on Hudson River Estuary Hudson River Ecology, 1st Symposium Hudson River Valley Comm., Tuxedo, NY, pp pp. 131-134

Hirschfield HI, J.W. Rachlin and E. Leff (1966) A survey of the invertebrates from selected sites of the lower Hudson River Hudson River Ecology, 1st Symposium Hudson River Valley Comm., Tuxedo, NY, pp pp. 220-257

[Hopkins D, and D.M. Green \(1989\) Evaluation of potential sources of recruitment of largemouth bass to the Hudson River. In: Blair EA, and J.R. Waldman \(ed\) Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program. Hudson River Foundation, New York, pp Section VIII: 28 pp.](#)

[Howe DV, and F. Juanes \(2000\) Habitat variation and the diet, growth, and condition of juvenile striped bass \(\*Morone saxatilis\*\) in the Mid-Hudson River estuary. In: Waldman JR, and W.C. Nieder \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 1999. Hudson River Foundation, New York, pp Section IV: 21pp.](#)

[Howe DV, and F. Juanes \(2001\) Availability, consumption and preference of prey in juvenile striped bass \(\*Morone saxatilis\*\) in the Hudson River. In: Waldman JR, and W.C. Nieder \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 2000. Hudson River Foundation, New York, pp Section VI: 23pp.](#)

Howells GP, E. Musnick and H.I. Hirschfeld (1969) Invertebrates of the Hudson River Hudson River Ecology, 2nd Symposium, NYS Department of Environmental Conservation, Albany, NY, pp pp. 262-280

Hughes MJ, and D.M. Carlson (1986) White catfish growth and life history in the Hudson River estuary, New York. Journal of Freshwater Ecology 3: 407-418

Hummel MaEK (2004) Review of world literature on water chestnut with implications for management in North America. *Journal of Aquatic Plant Management* 42: 17-28

[Hunsinger TW, and R. D. Titman \(2002\) Demography and life history of a wood turtle \(\*Clemmys insculpta\*\) population in the Hudson River watershed. In: Nieder WC, and J. R. Waldmann \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 2001. Hudson River Foundation, New York, pp Section VIII: 25 pp.](#)

Johnson JH (1966) The geology and mineral resources of the Hudson estuary Hudson River Ecology, 1st Symposium, Hudson River Valley Comm., Tuxedo, NY, pp 8-40

Jordan RC, D. V. Howe, T. P. Hurst, and F. Juanes (2003) Feeding habits of age-O striped bass, *morone saxatilis*, in the Mid-Hudson River Estuary: temporal, spatial, and ontogenetic variation. *Estuaries* 26: 1486-1493

[Junkins RA, and J. S. Levinton \(2002\) Cadmium resistance in \*Limnodrilus hoffmeisteri\* in Foundry Cove following a Super Fund cleanup. In: Waldman JR, and W. C. Nieder \(ed\) Final Report of the Tibor T. Polgar Fellowship Program. Hudson River Foundation, pp III-16](#)

Keene C (1985) A survey of bald eagles, peregrine falcons and osprey along the Hudson River. Hudson River Foundation, New York

[Kelley JJ, E. T. Schultz \(2002\) Distribution, abundance, and reproductive season of sticklebacks \(\*Gasterosteidae\*\) in the Hudson River marsh preserves. In: Waldman JR, and W. C. Nieder \(ed\) Final Report of the Tibor T. Polgar Fellowship Program. Hudson River Foundation, pp V1-24](#)

[Kelly M, and W. Perrotte \(1989\) The epiphytic invertebrates of \*Trapa natans\* and \*Myriophyllum\* at Roosevelt Cove, Hyde Park, NY. In: Blair EA, and J.R. Waldman \(ed\) Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1988. Hudson River Foundation, New York, pp Section IV: 19 pp.](#)

[Kerr RP, and D.G. Capone \(1986\) Salinity effects on naphthalene and anthracene mineralization by sediment microbes in the Hudson River estuary and two coastal environments of Long Island. In: Cooper JC \(ed\) Polgar Fellowship Reports of the Hudson River National Estuarine Sanctuary Program. Hudson River Foundation, New York, pp Section IX: 37 pp.](#)

Kiviat E (1973) A fresh-water tidal marsh on the Hudson, Tivoli North Bay Hudson River Ecology, 3rd Symposium Hudson River Environmental Society, Bear Mountain, NY, pp 34 pp.

Kiviat E (1976) Goldenclub, a threatened plant in the tidal Hudson River Hudson River Ecology, 4th Symposium Hudson River Environmental Society, Bronx, NY

- Kiviat E (1978) Hudson River East Bank natural areas, Clermont to Norrie. The Nature Conservancy, Arlington, VA
- Kiviat E (1979) Hudson estuary shore zone: ecology and management. Master of Science. Department of Biology, New Paltz, New York
- Kiviat E (1980) A Hudson River tidemars snapping turtle population. Trans. Northeast Section, The Wildlife Society 37: 158-168
- Kiviat E (1981) Hudson River Estuary shore zone: Annotated natural history bibliography (indexed). Scenic Hudson, Poughkeepsie, NY
- Kiviat E (1983) Fresh-tidal swamp vegetation, Hudson River. Estuaries 6: 279
- Kiviat E (1988) Curation and cataloging of Biological Collections at the Bard College Field Station. Hudson River National Estuarine Research Reserve, Annadale, NY
- Kiviat E (1993) Under the Spreading Water-Chestnut News from Hudsonia, pp 8
- Kiviat E (1996a) American Goldfinch nests in purple loosestrife. Wilson Bulletin 108: 182-186
- Kiviat E (1997) Spring bird, reptile and amphibian surveys at Nutten Hook Reserve, Town of Stuyvesant, Columbia County, New York. NYS Department of Environmental Conservation and the Greenway Conservancy for the Hudson River Valley, Inc.
- Kiviat E, and E. Beecher (1991) Vegetation in the fresh-tidal habitats of Tivoli Bays, Hudson River. Final Report to NOAA, Sanctuaries and Reserves Division
- Kiviat E, and J.G. Barbour (1996b) Wood turtles, *Clemmys insculpta*, in the fresh-tidal Hudson River. Canadian Field Naturalist 110: 341-348
- Kiviat E, and Kristi MacDonald (2002) Hackensack Meadowlands, New Jersey, Biodiversity: A Review and Synthesis. Hudsonia, Ltd., Annadale, NY
- Knutson A, P. Klerks, and J. Levinton (1984) Current distribution of heavy metals in the sediments of Foundry Cove, New York. Hudson River Foundation
- [Krause LH, C. Rietsma and E. Kiviat \(1997\) Terrestrial insects associated with common reed, narrowleaf cattail and purple loosestrife in a Hudson River tidal marsh. In: Nieder WC, and J.R. Waldman \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 1996. Hudson River Foundation, New York, pp Section V: 35 pp.](#)
- [Kuhn KL, and I. Kornfield \(2004\) Genetic differentiation of the alewife, \*Alosa pseudoharengus\*, in the Hudson River. In: Nieder WC, and J. R. Waldmann \(ed\)](#)

- [Finals Reports of the Tibor T. Polgar Fellowship Program, 2003. Hudson River Foundation, New York, pp Section V: 20 pp.](#)
- Laba, M., Blair, B., Downs, R., Monger, B., Philpot, W., Smith, S., Sullivan, P., Baveye, P., (2010). Use of textural measurements to map invasive wetland plants in the Hudson River National Estuarine Research Reserve with IKONOS satellite imagery. *Remote Sensing of Environment*
- Laba, M., Smith, S., & Richmond, M. E. (2004). Purple loosestrife research and mapping for the Hudson River Valley study area. Final Report, New York Cooperative Fish and Wildlife Research Unit, Department of Natural Resources, Cornell University, Ithaca, NY.
- Laba, M., Smith, S., Sullivan, P., Philpot, W., & Baveye, P. (2007). Influence of wavelet-type on the classification of marsh vegetation from satellite imagery using a combination of wavelet texture and statistical component analyses. *Canadian Journal of Remote Sensing*, 33(4), 260–265.
- Laba, M., Downs, R., Smith, S., Welsh, S., Neider, C., White, S., et al. (2008). Mapping invasive wetland plants in the Hudson River National Estuarine Research Reserve using QuickBird satellite imagery. *Remote Sensing of Environment*, 112(1), 286–300.
- [Lake TR, and R. E. Schmidt \(1997\) Seasonal presence and movement of fish populations in the tidal reach of Quassaic Creek, a Hudson River tributary \(HRM 60\): Documentation of potamodromy, anadromy and residential components. In: Nieder WC, and J.R. Waldman \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 1996. Hudson River Foundation, New York, pp Section VII: 36 pp.](#)
- [Lake TR, and R.E. Schmidt \(1998\) The relationship between fecundity of an alewife \(\*Alosa pseudoharengus\*\) spawning and egg productivity in Quassaic Creek, a Hudson River tributary \(HRM 60\) in Orange County, New York. In: Waldman JR, and W.C. Nieder \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 1997. Hudson River Foundation, New York, pp Section II: 26 pp.](#)
- [Lamoureux E, and B. Brownawell \(1996\) Comparison of the relative desorption and bioavailability of polychlorinated biphenyls, polynuclear aromatic hydrocarbons, and linear alkylbenzenes from Hudson River sediments. In: Waldman JR, W.C. Nieder and E.A. Blair \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 1995. Hudson River Foundation, New York, pp Section III: 34 pp.](#)
- Lampman GG, N.F. Caraco, and J.J. Cole (1999) Spatial and temporal patterns of nutrient concentration and export in the tidal Hudson River. *Estuaries* 22: 285-296
- [LeBlanc L, and B. Brownawell \(1994\) Tests of bioaccumulation models for PCBs: a study of young-of-the-year bluefish in the Hudson River estuary. In: Waldman](#)

- [JR, and E.A. Blair \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 1993. Hudson River Foundation, New York, pp Section VII: 42 pp.](#)
- Lehr JH (1967a.) The marshes at Piermont, New York: A field report. *Sarracenia* 11: pp. 31-34
- Lehr JH (1967b.) The plants of Iona Island: A field report. *Sarracenia* 11: pp. 35-38
- Leonardi L (1991) Bryophytes of two New York State freshwater tidal swamps. *Evansia* 8: 22-25 pp.
- [Leonardi L, and E. Kiviat \(1990\) The bryophytes of the Tivoli Bays freshwater tidal swamps. In: Waldman JR, and E.A. Blair \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 1989. Hudson River Foundation, New York, pp Section III: 23 pp.](#)
- Levinton JS (1984) Evolution of resistance to toxicants: Mechanisms of tolerance and transfer through Hudson River food webs. Hudson River Foundation, New York
- Levinton JS (1985) Evolution of resistance to toxicants: Mechanisms of tolerance and transfer through Hudson River food webs. Hudson River Foundation, New York
- [Levinton JS \(1986\) Evolution of resistance to toxicants: mechanisms of tolerance and transfer through Hudson River food webs. Hudson River Foundation, New York](#)
- [Lickus M, and P. Barten \(1991\) Hydrology of a freshwater tidal marsh along the Hudson River. In: Blair EA, and J.R. Waldman \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 1990. Hudson River Foundation, New York, pp Section I: 45 pp.](#)
- [Limburg KE, and D. Strayer \(1988\) Studies of young-of-the-year river herring and American shad in the Tivoli Bays, Hudson River, New York. In: Waldman JR, and E.A. Blair \(ed\) Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1987. Hudson River Foundation, New York, pp Section VII: 62 pp.](#)
- Limburg KE, and R.E. Schmidt (1990) Patterns of fish spawning in Hudson River tributaries: Response to an urban gradient? *Ecology* 71: 1238-1245
- [Limburg KE, E.B. Brothers and S.A. Levin \(1991\) Estimation of age and growth rates in juvenile Hudson River shad: validation and field study. In: Blair EA, and J.R. Waldman \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 1990. Hudson River Foundation, New York, pp Section IV: 37 pp.](#)
- Litvin SY, and M. P. Weinstein (2003) Life history strategies of estuarine nekton: the role of marsh macrophytes, benthic microalgae, and phytoplankton in the trophic spectrum. *Estuaries* 26: 552-562

- [Lutz C, and D. Strayer \(2001\) Macroinvertebrates associated with \*Vallisneria americana\* and \*Trapa natans\* in Tivoli South Bay. In: Waldman JR, and W.C. Nieder \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 2000. Hudson River Foundation, New York, pp Section III: 34pp.](#)
- [Madden SS, and G. R. Robinson \(2004\) A comparison of water quality in an urban and a well forested stream: Patroon Creek and Tenmile Creek, Albany County, New York. In: Nieder WC, and J. R. Waldmann \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 2003. Hudson River Foundation, New York, pp Section I: 27 pp.](#)
- [Marchesi CE, and P. K. Barten \(1992\) Development of tidal discharge and sediment flux prediction functions at the Tivoli Bays-Hudson River National Estuarine Research Reserve. In: Waldman JR, and E.A. Blair \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program, 1991. Hudson River Foundation, New York, pp Section I: 41 pp.](#)
- Marshall HG (1988) Seasonal phytoplankton composition and concentration patterns within the Hudson River. Hudson River Foundation, New York
- [Martin JM, and E. T. Schultz \(2002\) Feeding ecology of larval and juvenile weakfish \(\*Cynoscion regalis\*\) in the Hudson River Estuary. In: Nieder WC, and J. R. Waldmann \(ed\) Final Reports of the Tibor T. Polgar Fellowship Program. Hudson River Foundation, New York, pp Section VII: 21 pp.](#)
- Martin JM, and E.T. Schultz (2000) Does otolith composition reflect early life history? A prospective analysis in Atlantic tomcod *Microgadus tomcod* and weakfish *Cynoscion regalis* from the Hudson River estuary. In: Waldman JR, and W.C. Nieder (ed) Final Reports of the Tibor T. Polgar Fellowship Program. Hudson River Foundation, New York, pp Section V: 17pp.
- McBride R, and K. W. Able (1995) Perennial occurrence and fast growth rates by crevalle jacks (Carangidae: *Caranx hippos*) in the Hudson River estuary. In: Nieder WC, J.R. Waldman and E.A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1994. Hudson River Foundation, New York, pp Section VI: 34 pp.
- McCarron E, and S.E.G. Findlay (1989) Sediment metabolism at Tivoli South Bay and a *Vallisneria* bed in the Hudson River. In: Nieder WC, J.R. Waldman and E.A. Blair (ed) Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1988. Hudson River Foundation, New York, pp Section I: 24 pp
- McCreary ST, M.D. Block and M. Mallner (1988) Managing PCBs in the Hudson/Raritan Estuary and the New York Bight System. New York Academy of Sciences, New York, pp 79 pp.

- McGlynn CA, and R.S. Ostfeld (2000) A study of the effects of invasive plant species on small mammals in Hudson River freshwater marshes. In: Waldman JR, and W.C. Nieder (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1999. Hudson River Foundation, Nw York, pp Section VIII: 21pp.
- McHenry MJ, and J.H. Long, Jr. (1995) A rapid increase in water temperature alters the swimming performance of striped bass (*Morone saxatilis*). In: Nieder WC, J.R. Waldman and E.A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1989. Hudson River Foundation, New York, pp Section V: 18 pp.
- Menzie CA, B. Woodard and R. Hyman (1976) Investigation of the Chironomid insect fauna of Haverstraw Bay Hudson River Ecology, 4th Symposium, Hudson River Environmental Society, Bronx, NY, pp 32 pp.
- Merrill JZ (1998) Tidal freshwater marshes of the Hudson River as nutrient sinks: Long-term retention and denitrification. Hudson River Foundation, New York, NY
- Merwin DE, and D. J. Bernstein (2002) A GIS-based model for predicting the location of submerged prehistoric archaeological sites in New York Harbor. In: Waldman JR, and W. C. Nieder (ed) Final Report to the Tibor T. Polgar Fellowship Program. Hudson River Foundation, pp VIII-24
- Miller JM, W. H. Neill, K. A. Duchon, S. W. Ross (2000) Ecophysiological determinants of secondary production in salt marshes: a simulation study. In: Weinstein MPaDAK (ed) Concepts and Controversies in Tidal Marsh Ecology. Kluwer Academic Press, Dordrecht, NL, pp 875
- Mills EL, D. L. Strayer, M. D. Scheurell, and J. T. Carlton (1996) Exotic species in the Hudson River Basin: a history of invasions and introductions. *Estuaries* 19: 814-823
- Montero C, and J. S. Levinton (1995) Costs of adaptation to cadmium in *Limnodrilus hoffmeisteri*, a common Hudson River invertebrate. In: Nieder WC, J.R. Waldman and E.A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1994. Hudson River Foundation, New York
- Montgomery C, and R.E. Schmidt (1992) Aspects of carp biology in Tivoli South Bay, a Hudson River tidal freshwater marsh. In: Blair EA, and J.R. Waldman (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1992. Hudson River Foundation, New York, pp Section VIII: 23 pp.
- Morris S, and P. Linsalata (1990) Feasibility study of determining trace metal concentrations in the water column of the Hudson River estuary based on archived samples. In: Nieder WC, J.R. Waldman and E.A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1994. Hudson River Foundation, New York, pp Section II: 25 pp.

- Mt. Pleasant RC (1966) Industrial and domestic waste discharge into the Hudson River from the Troy Lock to the George Washington Bridge Hudson River Ecology, 1st Symposium, Hudson River Valley Comm., Tuxedo, NY, pp 258-267 pp.
- Mugue N, and J. S. Weis (1995) Population genetics of *Fundulus heteroclitus* in the Hudson River and North New Jersey Estuaries: Evaluation of subspecies boundary and hybridization with *F. diaphanus*. In: Nieder WC, J.R. Waldman and E.A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1994. Hudson River Foundation, New York, pp Section VII: 38 pp.
- Nack S, and W. Cook (1987) Characterization of spawning and nursery habitats of largemouth bass (*Micropterus salmoides*) in the Stockport component of the Hudson River National Estuarine Research Reserve. In: Blair EA, and J.C. Cooper (ed) Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1986. Hudson River Foundation, New York, pp Section IV: 24 pp.
- Nadareski CA, and H. Meng (1991) Prey selection by urban nesting peregrine falcons (*Falco peregrinus*) and contaminant analysis of prey in their diets along the lower Hudson River estuary. In: Waldman JR, and E.A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1990. Hudson River Foundation, New York, pp Section VI: 42 pp.
- Napolitano MF, and R. D. Flood (2004) A baseline inventory of multiple acoustic targets from the Hudson River between New York Harbor and Wappingers Falls. In: Nieder WC, and J. R. Waldmann (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 2003. Hudson River Foundation, New York, pp Section VIII: 29 pp.
- Nemazie DA, and B.L. Dexter (1988) Summer zooplankton ecology of Piermont Marsh. In: Waldman JR, and E.A. Blair (ed) Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1987. Hudson River Foundation, New York, pp Section I: 24 pp.
- Newman WS, L.J. Cinquemani, J.A. Sperling, L.F. Marcus, and R.R. Pardi Holocene neotectonics and the Ramapo fault zone sea-level anomaly: A study of varying marine transgression rates in the lower Hudson estuary, New York and New Jersey.: 39 pp.
- Nieder WC (1995) Surface water quality at the Hudson River National Estuarine Research Reserve: determining the influence of land use practices on water quality. Sanctuaries and Reserve Division, N.O.A.A.
- Nieder WC, E. Barnaba, S.E.G. Findlay, S. Hoskins, N. Holochuck, E.A. Blair (2004) Distribution and Abundance of Submerged Aquatic Vegetation and *Trapa natans* in the Hudson River Estuary. *Journal of Coastal Research* SI: 150-161

- Nowak AE, J. Stabile, and I. Wirgin (2001) Evaluation of water, sediment, and prey as routes of exposure of Atlantic Tomcod to aromatic hydrocarbon pollutants in the Hudson River. In: Waldman JR, and W.C. Nieder (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 2000. Hudson River Foundation, New York, pp Section I:25
- Nye PE, D. Mildner and E. Leone (1993) An assessment of the status of bald eagles on Iona Island, New York and recommendations for their management. Hudson River Estuary Management Program and Palisades Interstate Park Commission
- Orringer S, and R.A. Daniels (1992) Reproductive biology of the redbreast sunfish, *Lepomis auritus*. In: Waldman JR, and E.A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1991. Hudson River Foundation, New York, pp Section VII: 31 pp.
- Ottman F, and D. J. Yozzo (2002) Distribution of the spotfin killifish (*Fundulus luciae*) in the lower Hudson River Estuary. In: Nieder WC, and J. R. Waldmann (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 2001. Hudson River Foundation, New York, pp Section V: 25 pp.
- Parsons TL, and G. M. Lovett (1992) Land use effects on Hudson River tributaries. In: Waldman JR, and E.A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1991. Hudson River Foundation, New York, pp Section IX: 34 pp.
- Pederson DC, D. M. Peter, D. Kurdyla, and T. Guilderson (2005) Medieval warming, little Ice Age, and European impact on the environment during the last millennium in the lower Hudson Valley, New York, USA. Quaternary Research 63: 238-249
- Pelczarski K, and R.E. Schmidt (1991) Evaluation of a pop net for sampling fishes from water chestnut beds in the tidal Hudson River. In: Blair EA, and J.R. Waldman (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1990. Hudson River Foundation, New York, pp Section V: 33 pp.
- Peller P, and R. Bopp (1986) Recent sediment and pollutant accumulation in the Hudson River National Estuarine Sanctuary. In: Cooper JC (ed) Polgar Fellowship Reports of the Hudson River National Estuarine Sanctuary Program. Hudson River Foundation, New York, pp Section VII: 29 pp.
- Perrone AS, and H.M. Knizeski (1988) Macroinvertebrates of the Piermont Marsh component of the Hudson River National Estuarine Research Reserve, Columbia County, New York. In: Waldman JR, and E.A. Blair (ed) Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1987. Hudson River Foundation, New York, pp Section IV: 32 pp.
- Petersson R, and R. E. Schmidt (2004) Movements of American eel (*Anguilla rostrata*) in the Saw Kill, a Hudson River tributary. In: Nieder WC, and J. R. Waldmann (ed)

- Final Reports of the Tibor T. Polgar Fellowship Program, 2003. Hudson River Foundation, New York, pp Section VII: 14 pp.
- Pinney DAK, and P. Barten (1997) Characterization of livestock management practices and their effects on the Tivoli Bays watersheds. In: Nieder WC, and J.R. Waldman (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1996. Hudson River Foundation, New York, pp Section VIII: 26 pp.
- Pitt J, and P. K. Barten (1994) Nutrient and sediment yield in the Sawkill watershed: partitioning the impact of multiple land uses. In: Waldman JR, and E.A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1995. Hudson River Foundation, New York, pp Section II: 29 pp.
- Ramnarace KD, E.B. Garcia and H.M. Knizeski (1989) The physical, chemical and biological components of two tidal creeks in the Piermont Marsh system of the Hudson River. In: Blair EA, and J.R. Waldman (ed) Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1988. Hudson River Foundation, New York, pp Section II: 48 pp.
- Raphael B, and S. Findlay (1996) Sources and characterization of dissolved organic carbon in the Tivoli Bays freshwater tidal wetlands. In: Waldman JR, W.C. Nieder and E.A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1995. Hudson River Foundation, New York, pp Section I: 23 pp.
- Raymond P, and J. Cole (1994) The use of direct carbon dioxide measurements on the Hudson River. In: Waldman JR, and E. A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1993. Hudson River Foundation, New York, pp Section I: 41 pp.
- Reichheld EA, and P. Barten (1992) Characterization of critical streamflow and sediment source areas for the Sawkill watershed, Tivoli Bays. In: Waldman JR, and E.A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1991. Hudson River Foundation, New York, pp Section II: 52 pp.
- Reifler A, and C. Lindner (2000) The importance of sturgeon along the middle Hudson River during prehispanic times: A faunal analysis of the Tufano site. In: Waldman JR, and W.C. Nieder (ed) Final Reports of the Tibor T. Polgar Fellowship Program. Hudson River Foundation, New York, pp Section VI: 38pp.
- Reyes N, and J. D. Wehr (1990) Composition of planktonic rotifer fauna and temporal variation in the abundance of rotifers and their food supply in the Hudson River. In: Waldman JR, and E. A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1989. Hudson River Foundation, New York, pp Section IV: 20 pp.
- Rice D, J. Rooth, and J. C. Stevenson (2000) Colonization and expansion of *Phragmites australis* in Upper Chesapeake Bay tidal marshes. *Wetlands* 20: 280-299

- Richard E, and R.E. Schmidt (1987) Feeding ecology of the banded killifish (*Fundulus diaphanus*) at Tivoli North Bay, Hudson River, New York. In: Blair EA, and J.C. Cooper (ed) Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1986. Hudson River Foundation, New York, pp Section II: 20 pp.
- Robideau RM (1997) Sedimentation rates in Hudson River marshes as determined by radionuclide dating techniques. Master of Science, Troy
- Rod JP (1990) An ecological study of the muskrat in Constitution Marsh. Hudson River Foundation for Science and Environmental Research, Inc., New York
- Rod JP, and M. Sramek (1986) Survey of fishes of Constitution Island Marsh. Hudson River Foundation, New York
- Roditi HA, and D. L. Strayer (1995) Impact of the zebra mussel, *Dreissena polymorpha*, on the availability of organic carbon and nutrients at the sediment surface of the Hudson River. In: Nieder WC, J.R. Waldman and E.A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1994. Hudson River Foundation, New York, pp Section III: 30 pp.
- Roditi HA, D.L. Strayer and S.E.G. Findlay (1997) Characteristics of zebra mussel (*Dreissena polymorpha*) biodeposits in a tidal freshwater estuary. Arch. Hydrobiol. 140: 207-219
- Ross SWaJO (1999) Development of a desktop GIS for estuarine resource evaluation with an example application for fishery habitat management. In: Nishida T, P. J. Kailola, and C. E. Hollingworth (ed) First International Symposium on Geographic Information Systems (GIS) in Fishery Science. Fishery GIS Research Group, Seattle, Washington
- Rothe JaRD (2004) From West Point to the Battery: Bacterial diversity along the lower Hudson Estuary. In: Nieder WC, and J. R. Waldmann (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 2004. Hudson River Foundation, New York, pp Section II: 17 pp.
- Rozas LP, and W. E. Odum (1987) The role of submerged aquatic vegetation in influencing the abundance of nekton on contiguous tidal freshwater marshes. J. Exp. Mar. Biol. Ecol. 114: 289-300
- Rozycki C, and E. Kiviat (1996) A low density, tidal marsh, painted turtle population. In: Waldman JR, W.C. Nieder and E.A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1995. Hudson River Foundation, New York, pp Section VII: 26 pp.
- Rugge CD, O. A. O'Conner, D. S. Kosson and R. C. Ahlert (1992) Development of bacterial cultures which can be metabolize structural analogs of dioxin. In:

- Waldman JR, and E.A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1991. Hudson River Foundation, New York, pp Section IV: 44pp.
- Sala M, and J.E. Corrigan (1993) Antibiotic resistant bacteria from New York Harbor. In: Blair EA, and J.R. Waldman (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1992. Hudson River Foundation, New York, pp Section IV: 49 pp.
- Samson JC, and J.S. Weis (1998) Investigations into cadmium resistance in *Fundulus* from a metals contaminated site. In: Waldman JR, and W.C. Nieder (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1997. Hudson River Foundation, New York, pp Section III: 24 pp.
- Scharf FS, and F. Juanes (1996) Estimating piscine prey size from partial remains: testing for shifts in foraging mode by bluefish in the Hudson River. In: Waldman JR, W.C. Nieder and E.A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1995. Hudson River Foundation, New York, pp Section IV: 37 pp.
- Scharf FS, and F. Juanes (1997) Foraging tactics of young-of-the-year bluefish in the Hudson River: the influence of body size on predator mode choice and prey profitability. In: Nieder WC, and J.R. Waldman (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1996. Hudson River Foundation, New York, pp Section IV: 37 pp.
- Schmidt KA (1986a) The life history of the chrysomelid beetle, *Pyrrhalta nymphaeae* (Galerucinae) on water chestnut, *Trapa natans* (Hydrocharitaceae), in Tivoli South Bay, Hudson River, NY. In: Cooper JC (ed) Polgar Fellowship Reports of the Hudson River National Estuarine Sanctuary Program, 1985. Hudson River Foundation, New York, pp Section V: 38 pp.
- Schmidt R (1986b) Fish community structure in Tivoli North Bay, a Hudson River freshwater tidal marsh. NOAA Marine and Estuarine Management Division, New York
- Schmidt R (1988) Communities of larval and juvenile fish associated with water chestnut, water milfoil and water celery in the Tivoli Bays of the Hudson River. Hudson River Foundation, New York
- Schmidt RE (1993a) Fishes of Manitou Marsh with comments on other aquatic organisms. Museum of the Hudson Highlands, Cornwall-on-Hudson, New York
- Schmidt RE, A. Lang and E. Leibu (2004a) Monitoring fish populations in the Tivoli Bays Hudson River National Estuarine Research Reserve: Year Three. Berkshire Environmental Research Center: Simon's Rock College, Great Barrington, MA
- Schmidt RE, and A. Hamilton (1993b) Significance of the fishes collected by gill net in the Tivoli South Bay ecosystem. In: Blair EA, and J.R. Waldman (ed) Final Reports of Tibor T. Polgar Fellowship Program, 1992. Hudson River Foundation, New York, pp Section IX: 16 pp.

- Schmidt RE, and T. Stillman (1998) Evidence of potamodromy in an estuarine population of smallmouth bass (*Micropterus dolomieu*). *Journal of Freshwater Ecology* 13: 155-163
- Schmidt RE, E. G. Eck, and R. Petersson (2002a) Monitoring fish population in the Tivoli Bays Hudson River National Estuarine Research Reserve: Year Two. Berkshire Environmental Research Center: Simon's Rock College, Great Barrington, MA
- Schmidt RE, E. Griffin-Noyes, and A. Lavine (2002b) Monitoring fish populations in the Tivoli Bays Hudson River National Estuarine Research Reserve: Year One. Berkshire Environmental Research Center: Simon's Rock College, Great Barrington, MA
- Schmidt RE, N. Akpan and J. Anderson (2004b) Monitoring fish populations in the Tivoli Bays Hudson River National Estuarine Research Reserve: Year Four. Berkshire Environmental Research Center: Simon's Rock College, Great Barrington, MA
- Schmidt RE, T. W. Hunsinger, T. Coote, E. Griffin-Noyes, and E. Kiviat (2004c) The mudpuppy (*Necturus maculosus*) in the tidal Hudson River, with comments on its status as native. *Northeastern Naturalist* 11: 179-188
- Schoeberl KL, and S.E.G. Findlay (1988) Composition, abundance, and dynamics of macroinvertebrates in Tivoli South Bay, with emphasis on the Chironomidae (Diptera). In: Waldman JR, and E.A. Blair (ed) Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1987. Hudson River Foundation, New York, pp Section V: 35 pp.
- Senerchia-Nardone P, A. Reilly and M.M. Holland (1986) Comparison of vascular plant zonation at Iona Island Marsh (Hudson River estuary) and Lord's Cove Marsh (Connecticut River estuary). In: Cooper JC (ed) Polgar Fellowship Reports of the Hudson River National Estuarine Sanctuary Program. Hudson River Foundation, New York, pp Section II: 35 pp.
- Seplow S, and H. Bokuniewicz (1992) Observations on the suspended sediment distribution in the Hudson River estuary. In: Waldman JR, and E. A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1991. Hudson River Foundation, New York, pp Section III: 17 pp.
- Sharma V, and E. Kiviat (1993) Habitats of the monkey flowers: *Mimulus alatus* and *Mimulus ringens* on the Hudson River. In: Blair EA, and J.R. Waldman (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1992. Hudson River Foundation, New York, pp Section V: 36 pp.
- Shrump DD, and R. C. Chambers (2002) An analysis of the frequency and duration of spawning of local weakfish, *Cynoscion regalis*, based on age and size structure of young-of-the-year from the Hudson River, New York. In: Waldman JR, and W.

- C. Nieder (ed) Final Report of the Tibor T. Polgar Fellowship Program. Hudson River Foundation, pp VI1-22
- Sidari M, and R. E. Schmidt (1990) Larval fish foods in water chestnut beds. In: Waldman JR, and E.A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1989. Hudson River Foundation, New York, pp Section VI: 23 pp.
- Simoes JC, and R.M. Chambers (1998) A population study of diamondback terrapins of Piermont Marsh, Hudson River, NY. In: Waldman JR, and W.C. Nieder (ed) Final Reports to the Tibor T. Polgar Fellowship Program, 1997. Hudson River Foundation, New York, pp Section I: 31 pp.
- Simpson KW, J.P. Fagnani, D.M. DeNicola and R.W. Bode (1985) The freshwater macrobenthos of the main channel, Hudson River. Part A: General study description and results, including a discussion of organism-substrate relationships. Hudson River Foundation, New York
- Simpson KW, J.P. Fagnani, R.W. Bode, D.M. DeNicola and L.E. Abele (1986) Organism-substrate relationships in the main channel of the Lower Hudson River. Journal of the North American Benthological Society 5: 41-57
- Simpson KW, R.W. Bode, J.P. Fagnani and D.M. DeNicola (1984) The freshwater macrobenthos of the main channel, Hudson River. Part B: Biology, taxonomy and distribution of resident macrobenthic species. Hudson River Foundation, New York
- Sinsabaugh RL, and S. Findlay (1995) Microbial production, enzyme activity and carbon turnover in surface sediments of the Hudson River estuary. Microbial Ecology 30: 127-141
- Sloan RJ, D. Stang and E.A. O'Connell (1988) Ten years of monitoring PCB in Hudson River striped bass. New York State Department of Environmental Conservation
- Smith CL (1976) The Hudson River fish fauna Hudson River Ecology, 4th Symposium. Hudson River Environmental Society, Bronx, NY
- Smith R, P. O'Keefe, D. Hilker, S. Connor and E. Posner (1996) An assessment of polychlorinated dibenzo-p-dioxin and polychlorinated dibenzofuran historical loading to Hudson River National Estuarine Research Reserve sediment: the influence of direct and indirect atmospheric contributions. NOAA, Sanctuaries and Reserves Division
- Smith S, and R.E. Schmidt (1988) Trophic status of the spottail shiner, (*Notropis hudsonius*), in Tivoli North Bay, a Hudson River fresh-tidal marsh. In: Waldman JR, and E.A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1991. Hudson River Foundation, New York, pp Section VI: 25 pp.

- Stainbrook KM, and K.E. Limburg (2001) Preliminary studies of larval and juvenile gizzard shad and atlantic menhaden in the Hudson River. In: Waldman JR, and W.C. Nieder (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 2000. Hudson River Foundation, New York, pp Section V: 28pp.
- Stein JJ, and K.A. Wilson (1992) Blue crab (*Callinectes sapidus*) distribution and habitat utilization in the lower Hudson River and tributaries. In: Waldman JR, and E.A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1991. Hudson River Foundation, New York, pp Section VI: 24 pp.
- Steinbacher JC, and J. E. Baker (2002) The distribution of polychlorinated biphenyls and polybrominated diphenyl ethers in the benthic food web of the Hudson River. In: Nieder WC, and J. R. Waldmann (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 2001. Hudson River Foundation, New York, pp I - 38 pgs
- Steinberg LJ, and H. Bokuniewicz (1993) Estimation of polychlorinated biphenyl removal rates from the Upper Hudson River. In: Blair EA, and J.R. Waldman (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1992. Hudson River Foundation, New York, pp Section III: 35 pp.
- Stevens G, and R. E. Schmidt (1993) Preliminary ecological assessment of Sparkill Creek, Town of Orangetown, Rockland County, NY. Hudson River Defense League by Hudsonia, Ltd.
- Stevenson KA, R. Armstrong and W.R. Schell (1986) Chronological determination of mercury, lead and cadmium in two Hudson River freshwater tidal marshes. In: Cooper JC (ed) Polgar Fellowship Reports of the Hudson River National Estuarine Sanctuary Program, 1985. Hudson River Foundation, New York, pp Section VIII: 27 pp.
- Stokesbury KDE, J. B. Bichy, and S. W. Ross (1999) Selectivity and efficiency of two otter trawls used to assess estuarine fish and macroinvertebrate populations in North Carolina. *Estuaries* 22: 882-888
- Stone WB, E. Kiviat and S.A. Butkas (1980) Toxicants in snapping turtles. *New York Fish & Game Journal* 27
- Storm PC, and R.L. Heffner (1976) A comparison of phytoplankton abundance, chlorophyll 'a' and water quality factors in the Hudson River and its tributaries Hudson River Ecology, 4th Symposium. Hudson River Environmental Society, Bronx, NY
- Strayer D, J.S. Glitzenstein, C.G. Jones, J. Kolasa, G.E. Likens, M.J. McDonnell, G.G. Parker and S.T.A. Pickett (1986) Long-term ecological studies: an illustrated account of their design, operation and importance to ecology. Institute of Ecosystem Studies, Millbrook, NY

- Strayer D (1987) Ecology and zoogeography of the freshwater mollusks of the Hudson River basin. *Malacological Review* 20: pp. 1-68
- Strayer DL, and L.C. Smith (1993) Distribution of the zebra mussel (*Dreissena polymorpha*) in estuaries and brackish waters. In: Nalepa T FaDWS (ed) *Zebra mussels: Biology, impacts and control*. Lewis Publishers, Ann Arbor, MI
- Strayer DL, and L.C. Smith (2000) Macroinvertebrates of a rocky shore in the freshwater tidal Hudson River. *Estuaries* 23: 359-366
- Strayer DL, and L.C. Smith (2001) The zoobenthos of the freshwater tidal Hudson River and its response to the zebra mussel (*Dreissena polymorpha*) invasion. *Arch. Hydrobiol. Suppl.* 139: 1-52
- Strayer DL, D.C. Hunter, L.C. Smith and C.K. Borg (1994) Distribution, abundance and roles of freshwater clams (*Bivalvia*, *Unionidae*) in the freshwater tidal Hudson River. *Freshwater Biology* 31: 239-248
- Strayer DL, J. Powell, P. Ambrose, L.C. Smith, M.L. Pace and D.T. Fischer (1996) Arrival, spread and early dynamics of a zebra mussel (*Dreissena polymorpha*) population in the Hudson River estuary. *Can. J. Fish. Aquat. Sci.*
- Strayer DL, K. A. Hattala, and A. W. Kahnle (2004) Effects of an invasive bivalve (*Dreissena polymorpha*) on fish in the Hudson River Estuary. *Canadian Journal of Fisheries and Aquatic Sciences* 61: 924-941
- Strayer DL, N. F. Caraco, J. J. Cole, S. Findlay, and M. L. Pace (1999) Transformation of freshwater ecosystems by bivalves: a case study of zebra mussels in the Hudson River. *BioScience* 49: 19-27
- Suatoni L, and J. Levinton (1997) The effects of the restoration of Foundry Cove on the dominant resident oligochaete, *Limnodrilus hoffmeisteri*. In: Nieder WC, and J.R. Waldman (ed) *Final Reports of the Tibor T. Polgar Fellowship Program, 1996*. Hudson River Foundation, New York, pp Section I: 28 pp.
- Swift B (1987) *An analysis of avian breeding habitats in Hudson River tidal wetlands*. Hudson River Foundation, New York
- Swift B (1989) *Avian breeding habitats in Hudson River tidal marshes*. Final Report to the Hudson River Foundation for Science and Environmental Research, Inc., New York
- Tang DSY (1996) *Construction of GIS database and analysis of land use/land cover change from 1953 to 1991 for Sparkill Creek Watershed, Hudson River National Estuarine Research Reserve*. New York Sea Grant and Hudson River National Estuarine Research Reserve Cooperative Research Fellowship Program, New York

- Templer P, S. Findlay and C. Wigand (1996) Sediment chemistry associated with native and non-native emergent macrophytes of the Hudson River marsh ecosystem. In: Waldman JR, W.C. Nieder and E.A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1995. Hudson River Foundation, New York, pp Section II: 32 pp.
- Templer P, S. Findlay, and C. Wigand (1998) Sediment chemistry associated with native and non-native emergent macrophytes of a Hudson River marsh ecosystem. *Wetlands* 18: 70-78
- Thissen J, and H. Bokuniewicz (2000) Sedimentary environment adjacent to Tivoli Bays. In: Waldman JR, and W.C. Nieder (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1999. Hudson River Foundation, New York, pp Section I: 44pp.
- Thompson C, and K. McGarigal (2000) Impacts of scale on breeding bald eagles, (*Haliaeetus leucocephalus*), along the Hudson River, New York. In: Waldman JR, and W.C. Nieder (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1999. Hudson River Foundation, New York, pp Section VII: 27pp.
- Vathanodorn K, and R. Parsons (1997) Bacteria as a direct food source for zebra mussels. In: Nieder WC, and J.R. Waldman (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1996. Hudson River Foundation, New York, pp sSection III: 19 pp.
- Vernon MM, and S. E. G. Findlay Phosphorous saturation in wetland soils: the relationship between loading history and removal rates in freshwater, tidal wetlands, New Orleans, LA
- Wagner B, and S.G. Findlay (1987) Colonization of artificial substrate by the Chironomidae (Diptera) of Tivoli South Bay. In: Blair EA, and J.C. Cooper (ed) Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1986. Hudson River Foundation, New York, pp Section VII: 32 pp.
- Wainwright SC, M. P. Weinstein, K. W. Able, and C. A. Currin (2000) Relative importance of benthic microalgae, phytoplankton and the detritus of smooth cordgrass *Spartina alterniflora* and the common reed *Phragmites australis* to brackish-marsh food webs. *Marine Ecology Progress Series* 200: 77-91
- Wallace WG, and G.R. Lopez (1993) The role of prey contamination exposure history in cadmium trophic transfer. In: Blair EA, and J.R. Waldman (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1992. Hudson River Foundation, New York, pp Section VI: 47 pp.
- Wallace WG, and G.R. Lopez (1996) Relationship between subcellular cadmium distribution in prey and cadmium trophic transfer to a predator. *Estuaries* 19: 923-930

- Wallhausser I, and J. Shiro Tashiro (1989) Studies of the life history and trophic connections of a population of *Palaemonetes pugio* in the Croton River. In: Blair EA, and J.R. Waldman (ed) Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1988. Hudson River Foundation, New York, pp Section V: 40 pp.
- Walton WC, F. Grassle and J. Carlton (1993) The invasion of the Hudson River estuary by the zebra mussel, *Dreissena polymorpha* and its subsequent range overlap with the false dark mussel, *Mytilopsis leucophaeata*. In: Blair EA and J.R.W. (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1992. Hudson River Foundation, New York, pp Section VII: 31 pp.
- Wang X, and G. Benoit (1993) Chronological variations in concentrations of heavy metals in sediments of the Tivoli South Bay: A study using  $^{210}\text{Pb}$  dating methodology. In: Blair EA, and J.R. Waldman (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1992. Hudson River Foundation, New York, pp Section II: 32 pp.
- Waterman B, and C. Lindner (1991) Evaluation of Tivoli Bays archaeology and an assessment of its potential to provide paleoenvironmental information. In: Blair EA, and J.R. Waldman (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1990. Hudson River Foundation, New York, pp Section VIII: 62 pp.
- Weaver L, and T. Lynch (1995) The uptake of PCBs by zebra mussels. In: Nieder WC, J.R. Waldman and E.A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1994. Hudson River Foundation, New York, pp Section II: 22 pp.
- Weinstein MP, and J. H. Balletto (1999) Does the common reed, *Phragmites australis*, affect essential fish habitat? *Estuaries* 22: 793-802
- Wells, A.W., W.C. Nieder, B.L. Swift, K.A. O'Connor, C.A. Weiss, 2008, Temporal changes in the breeding bird community at four Hudson River tidal marshes. *Journal of Coastal Research*, SI(55), 221–235.
- Westad KE (1987) Addendum to flora of freshwater tidal swamps at Tivoli Bays. In: Blair EA, and J.C. Cooper (ed) Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1986. Hudson River Foundation, New York, pp Section X:
- Westad KE, and E. Kiviat (1986) Flora of freshwater tidal swamps at Tivoli Bays, Hudson River National Estuarine Sanctuary. In: Cooper JC (ed) Polgar Fellowship Reports of the Hudson River National Estuarine Sanctuary Program, 1985. Hudson River Foundation, New York, pp Section III; 20 pp.
- Wicklund ML, S.E.G. Findlay and W.C. Nieder (1996) Submerged aquatic vegetation habitat on Scenic Hudson underwater lands. Scenic Hudson, Poughkeepsie, NY

- Wiktor DM, M. Hill, and R.M. Chambers (2001) Genetic diversity of diamondback terrapins (*Malaclemys terrapin*) from Piermont Marsh, Hudson River, NY. In: Waldman JR, and W.C. Nieder (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 2000. Hudson River Foundation, New York, pp Section VIII: 20pp.
- Wills JH (1966) Pollution of the Hudson River by agricultural chemicals Hudson River Ecology, 1st Symposium. Hudson River Valley Comm., Tuxedo, NY, pp 268-288
- Wilson KA, and K.W. Able (1992) Blue crab (*Callinectes sapidus*) habitat utilization and survival in the Hudson River. Hudson River Foundation, New York
- Winogron H (1997a) Invasion of *Phragmites australis* in the tidal marshes of the Hudson River. Master of Science. Graduate School of Environmental Studies, Annandale, NY
- Winogron H, and E. Kiviat (1997b) The historical distribution of *Phragmites australis* within the Hudson River. In: Nieder WC, and J.R. Waldman (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1996. Hudson River Foundation, New York
- Young JA (1990a) Human manipulation of the historical Hudson shoreline. Master of Science, Storrs, CT
- Young JA, and D.F. Squires (1990b) Human manipulation of the historical Hudson shoreline: A geographical approach. In: Waldman JR, and E.A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1989. Hudson River Foundation, New York, pp Section I: 38 pp.
- Yozzo D, P.L. Steineck and K. Martins (1988) The taxonomy, distribution and abundance of Ostracodes in the freshwater, tidal wetlands at the Stockport Flats component of the Hudson River National Estuarine Research Reserve, Columbia County, New York: Section III: 39 pp.
- Yozzo DJ, and P.L. Steineck (1994) Ostracoda from tidal freshwater wetlands at Stockport, Hudson River estuary: abundance, distribution and composition. *Estuaries* 17: 680-684
- Yozzo DJ, and W.E. Odum (1990) Trophic significance of Ostracoda in Tivoli South Bay. In: Waldman JR, and E.A. Blair (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1989. Hudson River Foundation, New York, pp Section V: 44 pp.
- Yozzo DJ, and W.E. Odum (1993) Fish predation on epiphytic microcrustacea in Tivoli South Bay, a Hudson River tidal wetland. *Hydrobiologia* 257: 37-46

- Yozzo DJ, P. Wilber and R. J. Will (2004) Beneficial use of dredged material for habitat creation, enhancement, and restoration in New York-New Jersey Harbor. *Journal of Environmental Management* 73: 39-52
- Zaremba RE (1993) Survey for rare plants at Iona Island. Hudson River National Estuarine Research Reserve, Annandale, NY
- Zaremba RE (1994) Survey for rare plants at Stockport Flats. Hudson River National Estuarine Research Reserve, Annandale, NY
- Zaremba RE (1995) Survey for rare plants at Tivoli Bays, 1994. Hudson River National Estuarine Research Reserve, Annandale, NY
- Zelenke JL (1997) Tidal freshwater marshes of the Hudson River as nutrient sinks: long term retention and denitrification. Hudson River Foundation (Graduate Fellowship, 1996-1997), New York
- Zelewski LM, and D.E. Armstrong (1997) Mercury dynamics in sediments of Tivoli South Bay, Hudson River, NY. In: Nieder WC, and J.R. Waldman (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1996. Hudson River Foundation, New York, pp Section II: 30 pp.
- Zima D, R. C. Chambers, and D. A. Witting (2002) An assessment of predation risk of juvenile Atlantic tomcod, *Microgadus tomcod*, to piscivorous fishes of the lower Hudson River. In: Nieder WC, and J. R. Waldmann (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 2001. Hudson River Foundation, New York, pp Section VI: 22 pp.
- Zimmerman S, J. Stabile and I. Wirgin (1998) The development of a new approach to evaluate environmentally induced genetic damage in Hudson River biota. In: Waldman JR, and W.C. Nieder (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 1997. Hudson River Foundation, New York, pp Section IV: 22 pp.
- Zulkosky A. M., and A. E. McElroy (2002) Effects of sewage-impacted sediments from Jamaica Bay, NY, on growth and reproduction in the benthic crustacean *Leptocheirus plumulosus*. In: Nieder WC, and J. R. Waldmann (ed) Final Reports of the Tibor T. Polgar Fellowship Program, 2001. Hudson River Foundation, New York, pp Section IV: 17 pp.